


Committed to Quality Committed to you

www.jvsnutbolt.in



GOVT. RECOGNIZED
STAR EXPORT HOUSE



Oxford
International

Contact us
91-161-4638146

Company Profile

We, **Oxford International**, are an experienced firm which has been active since 1979 and has made a special place in customers heart. The set up of our company is based in Ludhiana, Punjab of India. We hold specialization in manufacturing High Tensile Bolt, Nut, Washer, Spring Washer, special item etc. Our product range is available under brand name JVS and has become the prime choice of many customers in the market today. Keeping in view the industrial norms, we carry out all our business operations which helps us attain perfection in our offered range. We are an experienced, customer-oriented and growth-focused organization that works hard to maintain a distinguished image in the market.


Active Since 1979

We are a company with rich industrial experience as we have been serving customers since 1979. In all these operational years, we have been able to meet the expectations of customers. It the sincere support of our employees which has enabled us to come a long way and earn a good market reputation. Our dimension of rich industrial experience is attracting a new customer base towards us. We are considered as the most trustworthy destination for the customers to make the purchase for **Hex Bolt, Hex Nut, Washers and all kind of Fasteners**.

Key Facts of Oxford International:

Nature of Business	Manufacturer and Supplier
Year of Establishment	1979
No. of Employees	70
PAN No.	AISPB5925H
GST No.	03AISPB5925H1ZB
Banker	HDFC Bank
Company Branches	2
Warehousing Facility	Yes
No. of Production Unit	10
Standard Certification	ISO 9001:2015
Brand Name	JVS
Ownership Type	Proprietorship
Annual Turnover	50 Crore
Sister concern company	HIP CONTROL DEVICE SYSTEM

Why us?



Focus and Aim:

Oxford International is dedicated to customer satisfaction and providing products and services that create high performing rates within the industry and depicts ethics and Integrity of the company.

We are committed to be a responsible and ethical employer of the society and contribute much in raising standards and benefits for social platform to the nation.




Our Products



Product Type : Bolt
 Surface Treatment : Other
 Size : M5-M36
 Usage : Hardware fitting
 Supply Ability : 500 Per Month
 Unit of Price : Kilograms/Kilograms
 Price : 44 Onwards INR



Size : M5-M36
 Product Type : Bolt
 Usage : Hardware fitting
 Surface Treatment : Polished, Other
 Supply Ability : 500 Per Month
 Unit of Price : Kilograms/Kilograms
 Price : 70 Onwards INR



Size : M5-M36
 Product Type : Bolt
 Usage : Hardware fitting
 Surface Treatment : Polished, Other
 Supply Ability : 50000 Per Month
 Unit of Price : Kilograms/Kilograms
 Price : 44 Onwards INR



Size : M5-M36
 Product Type : Hex Nut
 Usage : Hardware fitting
 Material : Metal, Other
 Supply Ability : 500 Per Month
 Unit of Price : Kilograms/Kilograms
 Surface : Polished, Other
 Price : 50 Onwards INR

JVS 8.8 Our Products



Size : M5-M36
 Product Type : Nut
 Usage : Hardware fitting
 Material : Metal, Other
 Supply Ability : 500 Per Month
 Unit of Price : Kilograms/Kilograms
 Head Type : Hexagon
 Price : 50 Onwards INR



Size : M5-M36
 Product Type : Nut
 Usage : Hardware fitting
 Material : Metal, Other
 Supply Ability : 500 Per Month
 Unit of Price : Kilograms/Kilograms
 Head Type : Hexagon
 Price : 50 Onwards INR



Head Type : HEXAGONAL
 Standard : DIN 929
 Product Type : WELD NUT
 Material : Iron
 Use : INDUSTRIAL
 Unit of Price : Piece/Pieces
 Price : 0.15 ONWARDS INR



Surface Treatment : Polished, Other
 Product Type : Washer
 Material : Metal, Other
 Application : Hardware fitting
 Supply Ability : 500 Per Month
 Unit of Price : Kilograms/Kilograms
 Price : 40 Onwards INR



Our Products



PLAIN WASHER

Supply Ability : 500 Per Month
Unit of Price : Bag/Bags
Price : 45 ONWARDS INR



EN42 SPRING WASHER

Supply Ability : 500 Per Month
Unit of Price : Bag/Bags
Price : 45 ONWARDS INR



SPRING WASHER

Supply Ability : 500 Per Month
Unit of Price : Bag/Bags
Price : 45 ONWARDS INR



FULL THREADED STUD

Supply Ability : 500 Per Month
Unit of Price : Piece/Pieces
Price : 45 ONWARDS INR



STUD

Supply Ability : 500 Per Month
Unit of Price : Piece/Pieces
Price : 45 ONWARDS INR

JVS 8.8 Our Products



FLANGE BOLT



NYLOCK NUT



DOME NUT



WING NUT



CSK ALLEN BOLT



SS CSK ALLEN BOLT



CHEESE HEAD SCREW



COMB SCREW



HEX COUPLING NUT



POLISHED COUPLING NUT




SQUARE NECK BOLT




ROOFING BOLT



SQUARE SHAPE WASHER



MILD STEEL SQUARE WASHER



TAPPER WASHER



LOCK NUT



THREAD ROD



FLANGE NUT

HEX SCREW (full-thread)

DIMENSIONS IN METRIC

APPROX COUNT PER 50 KG.

Length	D I A M E T E R											
	M 1.6	M 2	M 2.5	M 2.6	M 3	M 3.5	M 4	M 5	M 6	M 7	M 8	M 10
3 mm	476190	248766	135135	130548								
4 mm	434782	236288	125000	121065	105263							
5 mm	400000	216450	116279	121065	95238	69523	39682					
6 mm	370370	199203	108695	105708	88495	55555	37593	22935	14705	9208		
8 mm	322850	171821	96163	92081	76335	49019	33557	21008	13368	8431	5847	
10 mm	275714	151057	86206	82972	67114	43859	30487	19011	12254	7776	5494	
12 mm	256410	138504	78125	74294	59880	39628	27777	17421	11312	7225	5102	2604
16 mm		118764	65769	62034	50000	33333	23800	14836	9784	6361	4504	2358
20 mm			56818	53590	42372	28901	20764	12919	8620	5611	4065	2155
25 mm			49019	45871	35714	24630	17857	11135	7518	4950	3597	1945
30 mm							15673	97847	6657	4385	3225	1773
35 mm							14005	8726	5973	3968	2923	1628
40 mm							12626	7874	5417	3597	2673	1506
45 mm							11520	7153	4950	3311	2463	1400
50 mm							10670	6587	4545	3048	2293	1308
55 mm							9765	6090	4201	2840	2138	1228
60 mm							9090	5862	3937	2659	2000	1154
65 mm							8468	5291	3676	2487	1879	1091
70 mm							7969	4950	3472	2347	1773	1035
75 mm								4672	3267	2212	1677	984
80 mm								4424	3086	2100	1592	938
85 mm									2947	1992	1515	896
90 mm									2793	1901	1445	857
100 mm									2550	1736	1326	789
110 mm									2350		1222	730
120 mm									2000		1120	681
130 mm									1900		1040	637
140 mm									1800		980	599
150 mm									1700		930	565
160 mm												555
170 mm												535
180 mm												490
190 mm												
200 mm												450
220 mm												
250 mm												365
260 mm												
280 mm												
300 mm												



HEX SCREW (full-thread)

DIMENSIONS IN METRIC

APPROX COUNT PER 50 KG.

Length	D I A M E T E R															
	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 33	M 36	M 39	M 42	M 45	M 48	M 52
12 mm	1824															
16 mm	1655															
20 mm	1515															
25 mm	1366	943	712	518	395											
30 mm	1243	863	650	476	367											
35 mm	1141	794	598	442	340	276										
40 mm	1054	736	554	413	318	259	204									
45 mm	980	685	514	387	299	242	193									
50 mm	917	641	485	364	280	228	182	132	100	79						
55 mm	860	603	454	342	265	215	173	125	93	75						
60 mm	810	569	427	324	251	204	164	120	92	72	58	46	39	32	27	22
65 mm	765	538	406	308	239	194	156	114	88	69	55	45	38	31	26	21
70 mm	725	511	384	294	228	185	149	110	84	67	53	43	36	30	25	20
75 mm	689	490	364	280	218	177	143	105	81	64	51	41	35	29	24	20
80 mm	651	467	347	267	208	169	137	101	78	62	50	40	34	28	24	19
85 mm	627	445	333	256	200	162	132	97	75	59	47	39	33	27	23	19
90 mm	600	427	318	246	192	155	127	94	72	57	46	37	32	26	22	18
100 mm	552	393	294	228	177	144	118	87	68	54	43	35	30	25	21	17
110 mm	511	364	271	211	165	134	110	82	64	51	41	33	28	23	20	16
120 mm	476	340	253	198	155	125	103	77	60	48	39	32	27	22	19	16
130 mm	446	318	238	185	145	118	97	72	57	45	37	30	25	21	18	15
140 mm	420	299	223	175	137	111	92	69	54	43	35	28	24	20	17	14
150 mm	396	282	210	166	130	108	87	65	51	41	33	27	23	19	17	14
160 mm	385		198	157	123	100	83	62	49	39	32	26	22	19	16	13
170 mm	360		187	150	117	95	79	59	47	37	30	25	21	18	15	12
180 mm	340		181	143	112	91	74	57	45	35	29	24	20	17	15	12
190 mm	325		172	136	107	87	72	54	43	34	28	23	20	16	14	12
200 mm	310		168	131	103	83	69	52	41	33	27	22	19	16	14	11
225 mm	283		150		93		62		38							
250 mm	250		137		85		57		35							
300 mm	218		114		71		43		30							

HEX BOLTS (half-thread) IS : 1336/67

DIMENSIONS IN METRIC

APPROX COUNT PER 50 KG.

Length	D I A M E T E R																	
	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24	M27	M30	M33	M36	M39	M42	M45	M48
25 mm	7000																	
30 mm	6080	3150																
35 mm	5350	2810	1590															
40 mm	4830	2530	1455	1013														
45 mm	4350	2310	1335	940		508												
50 mm	4000	2120	1235	875	622	470			220	180	127	97	76	62				
55 mm	3700	1980	1145	820	588	437		260	210	170	122	92	73	59				
60 mm	2420	1825	1075	770	550	408	312	244	200	160	116	88	71	57	45			
65 mm	3170	1700	1010	725	500	384	295	230	188	150	111	84	68	54	44			
70 mm	2990	1650	955	687	471	361	276	218	179	142	107	81	65	52	42	35		
75 mm	2820	1535	904	653	448	343	265	207	170	135	103	79	63	49	40	34		
80 mm	2650	1425	753	620	425	325	254	197	162	128	100	75	60	47	38	33	26	
90 mm	2400	1300	780	568	408	298	227	180	148	117	90	70	56	45	36	31	25	22
100 mm	2200	1190	715	522	367	271	208	166	136	108	83	65	52	42	34	29	24	21
110 mm	2000	1080	665	461	336	251	196	15	125	100	76	60	48	40	33	27	23	20
120 mm	1800	972	617	400	305	232	185	143	115	94	72	57	45	38	32	26	22	18
130 mm	1690	925	578	372	284	217	167	134	109	89	68	54	42	35	29	24	21	17
140 mm	1580	880	540	345	264	203	150	125	103	85	65	50	40	33	27	23	20	16
150 mm	1490	860	497	327	252	191	144	118	97	80	61	49	39	32	26	22	19	16
160 mm	1400		455	310	230	180	138	111	92	76	58	56	37	30	25	21	18	15
180 mm			430	295	205	162	125	100	83	68	52	51	33	28	23	19	16	14
200 mm			390	265	185	148	113	37	75	62	48	38	30	25	21	17	15	13
225 mm			350	245		132		83	68	57	43	35	28	23	19	16	14	12
250 mm			320	210		120		75	62	51	39	32	25	22	17	15	13	11
275 mm			290	190		109		69	57	47	37	30	24	20	16	14	12	10
300 mm				183		101		63	52	43	34	27	23	18	15	13	11	10

HEX SCREW (full-thread) BS : 916/53

DIMENSIONS IN METRIC

APPROX COUNT PER 50 KG.

Length	D I A M E T E R													
	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"	1.1/8"	1.1/4"	1.1/2"	2"
1/4"	26200													
3/8"	22600	10000												
1/2"	19300	9000	5500											
5/8"	17600	8000	5000	3250										
3/4"	15700	7300	4470	2950	1785	1240								
1"	13700	6124	3888	2423	1537	1120	640							
1.1/4"	11100	5351	3382	2137	1389	1009	582	365	267					
1.1/2"	9800	4752	3004	1910	1260	917	533	337	245	174				
1.3/4"	9100	4272	2702	1727	1143	841	492	312	226	162				
2"	8200	3882	2455	1577	1053	776	458	291	211	153				
2.1/4"	7300	3556	2251	1451	975	720	427	273	199	144				
2.1/2"	6600	3280	2076	1342	909	672	401	257	187	135		75		
3"	6700	2841	1798	1169	800	592	356	229	167	122	91	70	44	
3.1/2"	5100	2505	1687	1035	715	530	320	207	148	111	82	64		
4"	4600	2240	1418	929	646	479	291	189	140	101	74	59	37	20
4.1/2"		2026	1284	842	589	438	267	173	127	94	69	55		
5"		1852	1174	771	541	403	246	160	116	87	64	51	32	17
6"		1580	1001	658	466	347	214	140	101	76	56	44	29	
7"				565		300	188	125	89	68		39		
8"				505		268	170	111	80	61		35	23	12
9"				450		245	154	101	73	56		33		
10"				415		223	138	93	67	51		31		10
11"						206	127	85	63	47		28		
12"						189	117	77	59	44		26		



HEX BOLTS (full-thread) BS : 916/53

DIMENSIONS IN METRIC

APPROX COUNT PER 50 KG.

Length	D I A M E T E R													
	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"	1.1/8"	1.1/4"	1.1/2"	1.3/4"	2"
3/4"	6835													
7/8"	62902	3570												
1"	5760	3380	2520											
1.1/4"	4670	2920	2155	1200	965	568								
1.1/2"	4310	2570	1880	1090	862	510	324							
1.3/4"	3825	2290	1665	1000	780	463	303	228						
2"	3430	2075	1495	928	713	423	279	210	149					
2.1/4"	3120	1890	1360	863	655	390	258	194	138					
2.1/2"	2855	1740	1245	807	607	362	240	181	129	98	74	48	33	23
3"	2450	1495	1065	713	530	316	211	159	116	87	66	44	30	21
3.1/2"	2140	1310	930	640	470	281	188	142	102	78	59	40	27	20
4"	1900	1170	825	580	420	251	170	127	93	71	55	37	25	18
4.1/2"	1710	1052	743	530	380	236	160	117	88	65	51	35	23	17
5"	1560	960	675	488	340	218	147	107	78	61	47	31	21	16
6"	1310	813	572	422	305	185	126	91	69	53	40	27	18	14
7"			495		275	163	107	77	61	45	36	24	16	13
8"			438		230	146	99	74	55	41	33	21	15	11
9"			390		215	130	85	65	49	39	30	19	13	10
10"			350		200	115	79	59	44	36	27	18	12	9
11"					179	108	74	54	41	33	25	17	12	9
12"			290		159	101	69	50	38	31	24	16	11	8
14"					139	88	60	44	33	26	21	14	10	7
16"					120	77	53	38	29	23	18	13	9	6
18"					110	69	47	34	26	21	16	11	8	
20"					100	62	42	31	23	19	14	10	7	

NUTS

APPROX COUNT PER 50 KG.

SIZE	OLD SPECIFICATION HEX NUTS IS 1363/67	H=D HEIGHT=DIAMETER HEX NUTS
M-2	454550	
M-3	151500	
M-4	74075	
M-5	45045	
M-6	21551	
M-7	17000	
M-8	10373	3900
M-10	4900	
M-12	3144	2575
M-14	2083	1640
M-16	1623	1280
M-18	1124	860
M-20	828	665
M-22	700	550
M-24	485	390
M-27	324	268
M-30	231	188
M-33	157	145
M-36	135	114
M-39	105	87
M-42	87	68
M-45	68	54
M-48	54	44
M-52	46	36
M-56	38	30
M-60	31	26
M-64	27	22
M-72	20	16
M-80	18	
M-90	11	
M-100	8	
SIZE	NEW SPECIFICATION HEX NUTS IS 1363/92	
M-10×16 A/F	5500	
M-12×18 A/F	3600	
M-16	1500	
M-20	750	
M-22	560	
M-24	400	

SIZE	HEX NUTS BSW / BSF	SQUARE NUTS - BSW	ASTM A-194 UNC HEAVY HEX NUTS
1/8"	122000		
5/32"	94300		
3/16"	37600	14700	
1/4"	15500		
5/16"	9800	7650	6600
3/8"	6121	5175	3650
7/16"	3600	2971	2500
1/2"	2250	1868	1690
5/8"	1150	992	950
3/4"	696	567	580
7/8"	580	458	395
1"	385	324	278
1.1/8"	275	214	190
1.1/4"	188	150	146
1.3/8"	132		113
1.1/2"	110		89
1.5/8"	70		68
1.3/4"			55
2"	61		37
2.1/4"	45		27
2.1/2"	29		21
2.3/4"	198		15
3"	15		11
0 BA	1850		
2 BA	39700		

HEX LOCK NUTS (BSW / BSF)

APPROX COUNT PER 50 KG.

SIZE	WEIGHT	SIZE	WEIGHT
1/4"	0.19	1"	8.5
5/16"	0.35	1.1/8"	11.8
3/8"	0.51	1.1/4"	17.2
7/16"	0.93	1.3/8"	23
1/2"	1.43	1.1/2"	28
5/8"	2.7	1.3/4"	4600
3/4"	4.8	2"	54
7/8"	5.6		



THREADING THERY ...IN PITCH & TIP 1 mm to 150 mm Dia

SIZE	PITCH	TPI	SIZE	PITCH	TPI
1 mm	0.25	101.6	27 mm	3	8.4
1.4 mm	0.3	84.6	30 mm	3.5	7.2
1.6 mm	0.35	72.6	33 mm	3.5	7.2
1.8 mm	0.35	72.6	36 mm	4	6.3
2 mm	0.4	36.5	39 mm	4	6.3
2.2 mm	0.45	56.4	42 mm	4.5	5.6
2.3 mm	0.45	56.4	45 mm	4.5	5.6
2.5 mm	0.45	56.4	48 mm	5	5.1
2.6 mm	0.45	56.4	52 mm	5	5.1
3 mm	0.5	50.8	56 mm	5.5	4.6
3.5 mm	0.6	42.3	60 mm	5.5	4.6
4 mm	0.7	36.2	64 mm	6	4.2
4.5 mm	0.75	33.8	68 mm	6	4.2
5 mm	0.8	31.7	72 mm	6	4.2
6 mm	1	25.4	76 mm	6	4.2
7 mm	1	25.4	80 mm	6	4.2
8 mm	1.25	20.3	85 mm	6	4.2
9 mm	1.25	20.3	90 mm	6	4.2
10 mm	1.5	16.9	95 mm	6	4.2
11 mm	1.5	16.9	100 mm	6	4.2
12 mm	1.75	14.5	105 mm	6	4.2
14 mm	2	12.7	110 mm	6	4.2
16 mm	2	12.7	115 mm	6	4.2
18 mm	2.5	10.1	120 mm	6	4.2
20 mm	2.5	10.1	125 mm	6	4.2
22 mm	2.5	10.1	130 mm	6	4.2
24 mm	3	8.4	140 mm	6	4.2
25 mm	3	8.4	150 mm	6	4.2

Automobile Industry

The automotive industry designs, develops manufactures, markets and sells the world's motor vehicles.

Irrigation Instruments & Agricultural Industry

Agricultural machinery is one of the most revolutionary application of modern technology. The truly elemental human need to food has often driven the development of technology and machines.

Formwork Scaffolding Engineering


Scaffolding is a temporary structure used to support people and material in the construction or repair of buildings and other large structures.

The electrical distribution industry encompasses the wholesale and retail sales of electrical equipment and products primarily through electrical distributors.

Electrical Industries


Engineering products that deals with measurement and control. Products typically work of industries with automated processes, such as chemical or manufacturing plants, with the goal of improving system productivity, reliability, safety, optimization and stability.

Engineering Instruments Industry





Our Presence



IN INDIA

- | | |
|------------------|---------------|
| Ahmedabad | Jaipur |
| Ambala | Jalandhar |
| Amritsar | Jammu |
| Assam | Jamshedpur |
| Aurangabad | Kanpur |
| Banglore | Karnal |
| Bathinda | Kolkata |
| Bhopal | Lucknow |
| Bikaner | Ludhiana |
| Chandigarh | Meerut |
| Chennai | Mumbai |
| Coimbatore | Mumbai |
| Dadri | Nashik |
| Dehradun | Noida |
| Delhi | Odisha |
| Derabassi | Parwano |
| Faridabad | Poundichery |
| Goa | Pune |
| Gujrat | Rajasthan |
| Guntur | Rajkot |
| Gurgaon | Samalkha |
| Guwahati | Sitara |
| Haridwar | Srinagar |
| Himachal Pradesh | Surat |
| Hubli | Vadodra |
| Hyderabad | Vijaywada |
| Indore | Visakhapatnam |

OUT OF INDIA

- | | | |
|-------|------------|-------------|
| USA | Austrailia | New Zealand |
| Dubai | Europe | Afghanistan |
| Iraq | Canada | |
| Iran | Sri Lanka | |

Product Certification

